

*Exhibit C - 3 pages*  
**USPTO PATENT FULL-TEXT AND IMAGE DATABASE**

<a href="#">Home</a>	<a href="#">Quick</a>	<a href="#">Advanced</a>	<a href="#">Pat Num</a>	<a href="#">Help</a>
<a href="#">Prev. List</a>	<a href="#">Next List</a>	<a href="#">Bottom</a>	<a href="#">View Cart</a>	

*Searching US Patent Collection...*

**Results of Search in US Patent Collection db for:**  
**ACLM/composition AND ACLM/comprising:** 223256 patents.  
*Hits 223201 through 223250 out of 223256*

[Prev. 50 Hits](#)

[Final 6 Hits](#)

[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
223201 <a href="#">3,931,088</a>	<b>T</b> <a href="#">Adhesive composition consisting of polyvinylalcohol solution or polyvinylacetate latex modified with hydrophobic solution of isocyanate compound</a>
223202 <a href="#">3,931,085</a>	<b>T</b> <a href="#">Synthetic resin compositions</a>
223203 <a href="#">3,931,081</a>	<b>T</b> <a href="#">Flameproof moulding compositions based on polyolefins</a>
223204 <a href="#">3,931,080</a>	<b>T</b> <a href="#">Aqueous aminoplast coating composition with polymers of fluorinated ethylene imines</a>
223205 <a href="#">3,931,078</a>	<b>T</b> <a href="#">Sealant and coating compositions from poly(oxyalkylene)-polyester-poly (monosulfide)-polythiols, coal tar, and fillers</a>
223206 <a href="#">3,931,077</a>	<b>T</b> <a href="#">Reactive hot melt adhesive composition and method for use thereof</a>
223207 <a href="#">3,931,076</a>	<b>T</b> <a href="#">Elimination of pinking in vinyl asbestos formulations</a>
223208 <a href="#">3,931,073</a>	<b>T</b> <a href="#">Hot melt compositions</a>
223209 <a href="#">3,931,071</a>	<b>T</b> <a href="#">Compositions of acrylated epoxidized soybean oil amine compounds useful as inks and coatings</a>
223210 <a href="#">3,931,067</a>	<b>T</b> <a href="#">Hydrophobic microporous materials and process for producing same</a>
223211 <a href="#">3,931,064</a>	<b>T</b> <a href="#">Polymer foams</a>
223212 <a href="#">3,931,062</a>	<b>T</b> <a href="#">Flexible hot-molded flame retardant polyurethane foams</a>
223213 <a href="#">3,931,061</a>	<b>T</b> <a href="#">Blushed polystyrene pigment</a>
223214 <a href="#">3,931,057</a>	<b>T</b> <a href="#">Surfactant compositions</a>
223215 <a href="#">3,931,047</a>	<b>T</b> <a href="#">Catalyst composition for room temperature vulcanizing silicone compositions and catalyzed compositions therefrom</a>

- 223216 [3,931,043](#) **T** [Filming amine emulsions](#)
  - 223217 [3,931,041](#) **T** [Liquid crystal compositions](#)
  - 223218 [3,931,040](#) **T** [Gas generating composition](#)
  - 223219 [3,931,037](#) **T** [Substantially uncolored detergent products containing coloring materials](#)
  - 223220 [3,931,032](#) **T** [Antibacterial and germicidal N,N-dialkylthiocarbamoyl sulfenamide detergent compositions](#)
  - 223221 [3,931,031](#) **T** [Surface active compositions](#)
  - 223222 [3,931,030](#) **T** [Etching composition for etching nickel screen rolls or plates](#)
  - 223223 [3,931,029](#) **T** [Corrosion inhibited antifreeze compositions and process for inhibiting the corrosion of solder alloys](#)
  - 223224 [3,931,026](#) **T** [Electrically insulating encapsulating composition for semiconductor devices](#)
  - 223225 [3,931,024](#) **T** [Nitrogen-containing dispersant from polyolefin](#)
  - 223226 [3,931,023](#) **T** [Triaryl phosphate ester functional fluids](#)
  - 223227 [3,931,022](#) **T** [Turbine lubricant and method](#)
  - 223228 [3,931,021](#) **T** [Method for controlling viscosity of lubricating oils](#)
  - 223229 [3,930,987](#) **T** [Catalyst and method of preparing same](#)
  - 223230 [3,930,984](#) **T** [Coal-anthracene oil slurry liquefied with carbon monoxide and barium-promoted catalysts](#)
  - 223231 [3,930,971](#) **T** [Coating compositions](#)
  - 223232 [3,930,963](#) **T** [Method for the production of radiant energy imaged printed circuit boards](#)
  - 223233 [3,930,932](#) **T** [Process for sizing cellulose fibre containing material](#)
  - 223234 [3,930,915](#) **T** [Method of making an electrical article](#)
  - 223235 [3,930,894](#) **T** [Method of preparing copper base alloys](#)
  - 223236 [3,930,886](#) **T** [Porous fluoro-carbon polymer matrices](#)
  - 223237 [3,930,869](#) **T** [Photographic silver halide photosensitive materials](#)
  - 223238 [3,930,868](#) **T** [Light sensitive arylglyoxyacrylate compositions](#)
  - 223239 [3,930,865](#) **T** [Photopolymerizable copying composition](#)
  - 223240 [3,930,864](#) **T** [Auxiliary mordant layer for excess dye formed in integral color transfer assemblage](#)
  - 223241 [3,930,856](#) **T** [Photopolymerisable compositions and their uses with diazonium salts as photocatalysts](#)
  - 223242 [3,930,854](#) **T** [Electrostatic copy paper containing manganous salt](#)
  - 223243 [3,930,838](#) **T** [S-benzyl-N,N-disec-butylthiocarbamate and its use as a rice field herbicide and a rice growth stimulant](#)
  - 223244 [3,930,837](#) **T** [3-Chloro-5-acetamidaisoquinoline as a herbicide](#)
  - 223245 [3,930,834](#) **T** [Algaecidal composition](#)
  - 223246 [3,930,833](#) **T** [Micronutrient metal-containing phosphate glasses](#)
  - 223247 [3,930,832](#) **T** [Inhibition of corrosive action of zinc-containing fertilizer solutions](#)
  - 223248 [3,930,792](#) **T** [Hair dyeing and conditioning compositions](#)
  - 223249 [3,930,714](#) **T** [Method of manufacturing an optical fibre light waveguide](#)
  - 223250 [3,930,666](#) **T** [Hybrid gas system for automobile passenger restraint system](#)
-

